


REFERENCE DATA

- PROFILE PUBLICATIONS# 254. CENTER COLOR 3 VIEW WAS USED FOR THIS MODEL. CUTAWAY DRAWING IN AIR INTERNATIONAL AUGUST 1977, PAGES 74 TO 79.
- ENTIRE AIRFRAME COVERED WITH WHITE MICRO-X JAP TISSUE, ALCOHOL SHRUNK.
- UNDERSIDE AIRBRUSHED WITH AEROGLOSS FLAT AERO BLU DOPE #33-4, WELL LACED WITH T.C.P.
- UPPER SURFACES AIRBRUSHED WITH AEROGLOSS CESSNA GRAY DOPE #59-1 IN CAMOFLAGE PATTERN WITH FLOQUIL RR-38 GN GRAY GREEN. MASK INSIGNIA CIRCLES FIRST.
- PROTOTYPE WEIGHT: 35 GMS.
- WING AREA: 124 SQ. INS.
- POWER: 2 LOOPS .175 x.045 x 34" FAI TAN 2 (18 GMS) RUBBER, 1800 WINDS.

This free plan courtesy of the Rees Family



COLORS ON UNDERSIDE WING
BLUE
WHITE
RED

24 CM (9 1/2") DIA.
PECK POLYMERS
PROP, 6.7 GMS
BLK W/YEL. TIPS

WING WEIGHTS:
FRAME: 5.5 GMS.
COVERED: 8.3 GMS.

FUSELAGE WEIGHTS:
FRAME ONLY: 3.6 GMS.
SHEETED W/TAIL CONE: 4.7 GMS.
W/NOSE BLOCK: 5.3 GMS.
COVERED: 6.4 GMS.

STAB FRAME: 1 GM.
COVERED: 1.9 GM.

RUDDER FRAME: .4 GM.
COVERED: .7 GM.

FORMERS ARE MADE OF 2 PLY
1/32 Balsa. GRAIN RUNS AT 90°

CANOPY IS BUILT UP OF .003 THK.
ACETATE SHEET SUPPORTED BY
BAMBOO HOOPS.

1942 FAIREY FULMAR MARK II
27" SPAN - FOR WWII MASS LAUNCH
BY DAVE REES - MAY 1989